

为 您 的 产 品 保 驾 护 航

PRODUCT DATASHEET

Blade Fuses

JFP2921 Maxi Blade Fuse Devices



Description

The JFP2921 Maxi Blade Fuses standard applies to vehicle series fuses below 32V.


Performance Specification

Model	Current Rating (A)	Interrupting Rating	Voltage Rating	Max.Voltage Drop(mV)	Cold Resistance (mΩ)	Housing Material Color
JFP2921-20A	20	1000A @32VDC	32V DC	125	16	黄色
JFP2921-30A	30			100	10	浅绿色
JFP2921-40A	40			100	8.0	桔黄色
JFP2921-50A	50			100	5.0	红色
JFP2921-60A	60			100	4.8	浅蓝色
JFP2921-70A	70			100	4.5	棕色
JFP2921-80A	80			100	4.3	无色
JFP2921-100A	100			100	4.2	紫色


Time-Current Characterristics

% of Rating	Opening Time
100%	100h min
135%	60s~1800s
200%	2s~60s
350%	0.2s~7s
600%	0.04s~1s


Temperature Rerating Curve



Time-Current Characteristic Curves



Dimensions (mm)



Specification

Operating Temperature	Terminals	Housing Material
-40°C~+105°C	zinc alloy	PC

Packaging Quantity

Model	QTY
JFP2921 Series	100 pcs/bag